

KELLY

Better Tillage. Better Tomorrow.




KELLY TILLAGE SYSTEM: Model 1204

Improving soil health **now** and for **future** generations

Australian design meets German engineering with the Kelly Tillage System. Made from the ground up for European farmers, this unique tool is designed for efficient and effective tillage of the top 2-4cm of soil. Farmers can trust in Kelly for strength, reliability and a better seedbed for a better bottom line. Farmers can also trust in Kelly for contributing to a sustainable future; the Kelly Tillage System reduces fuel and herbicide use, increases productivity and allows for improvements in soil structure.

MACHINE FEATURES

- Multiple hitch options for customisation
- Two drawbar height positions to suit a variety of tractors
- Versatile shallow tillage capabilities to suit land and production needs
- Wider tyres for minimal soil compaction
- Low horsepower requirements
- Greasable wing pivots for longevity
- Wide range of Kelly chain options
- Compact design for smaller fields
- Versatile adjustable working width of 3.5m, 4m and 4.5m



**LOW
MAINTENANCE**



**HIGH FIELD
EFFICIENCIES**



**LOW DIESEL
CONSUMPTION**

The Kelly Tillage System can be used for year-round tillage requirements, including weed control, residue management, levelling and preparing the seedbed for planting, fighting herbicide resistance and mulching cover crops back into the soil. By breaking the soil capillaries in the shallow 2-4cm range, the system is able to reduce evaporation and protect the essential subsurface moisture.



**WEED
CONTROL**



**RESIDUE
MANAGEMENT**



**SEEDBED
PREPARATION**



**COVER
CROPS**

DIMENSIONS

Transport Length	9 m
Transport Width	2.3 m
Transport Height	2.4 m
Maximum Width (unfolded)	4.2 m
Cut Width	4 m

WEIGHT

Total Weight (with K4/CL1 discs)	2950kg
Total Axle Load	4000 kg

AVERAGE PERFORMANCE*

at 8km/hr	2.5 ha/hr
at 12km/hr	3.8 ha/hr

*average performance based on 4m cut width

OPERATING INFORMATION

Speed	8 - 12 km/hr
Fuel Consumption	2.5 - 4 L/ha

AXLES AND TYRES

Main Axle	GS-ST 4006
Main Tyres	340/55-16



CL1



K4



CL2



SPIKED




W36



PRICKLE

Kelly Disc Chains are effective, innovative and unique, used for everything from primary tillage to planting pastures. With a custom Disc Chain configuration, every farmer can find a setup to suit their soil conditions.





Better Tillage. Better Tomorrow.

KELLY

Head Office (Australia)
+61 8 8667 2253

Global Locations
Visit our website for contact details

Email sales@kellytillage.com
kellytillage.com

